## PATENT COOPERATION TREATY

	From the INTERNATIONAL BUREAU
PCT	То:
NOTIFICATION OF THE RECORDING OF A CHANGE  (PCT Rule 92bis.1 and Administrative Instructions, Section 422)  Date of mailing (day/month/year)	ROCHE DIAGNOSTICS GMBH Burger Alexander Patent Department (TRPA)che Diagnostics GmbH Postfach 11 52 82372 Penzberg Germany  ASK BK  APR. 2005 WN WJ
13 April 2005 (13.04.2005)	BOR HH HIL SR
Applicant's or agent's file reference  22335 WO-BUR	IMPORTANT NOTIFICATION
International application No. PCT/EP2004/012470	International filing date (day/month/year) 04 November 2004 (04.11.2004)
The following indications appeared on record concerning:      X the applicant      X the inventor      the agent      the common representative	
Name and Address  MERGENTHALER, Susanne Muehlhauserstrasse 69 CH-4056 Basel Switzerland	State of Nationality DE CH Telephone No.  Facsimile No.  Teleprinter No.
The International Bureau hereby notifies the applicant that the following change has been recorded concerning:     the person the name the address the nationality the residence	
Name and Address	State of Nationality State of Residence  DE CH
	Telephone No.  Facsimile No:
	Teleprinter No.
3. Further observations, if necessary: The applicant/inventor identified in Box 1 should be deleted from the records.	
4. A copy of this notification has been sent to:  X the receiving Office  X the International Searching Authority  the International Preliminary Examining Authority	the designated Offices concerned the elected Offices concerned other:
The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized officer  Evelyne DURAND  Telephone No. (41-22) 338 8236
Facsimile No. (41-22) 338.70.80	1616bung 140. (41-52) 338 8230



European Patent Office

80298 München

Penzberg, March 4, 2005-mw International Application No. PCT/EP2004/012470 Applicant: Roche Diagnostics GmbH et al. Applicant's Ref.: 22335 WO-BUR

With respect to the above-identified International Application, Applicant requests, in accordance with PCT Rule 92bis.1(a)ii, the following change concerning the group of inventors: The inventor Susanne Mergenthaler should be deleted from the group of inventors. This is because this inventor was erroneously designated.

If you have any questions on this matter, please do not hesitate to contact Dr. Alexander Burger, Patent Department (TR-E), at phone +49 (8856) 60 3407, fax +49 (8856) 60 3451 or E-mail alexander.burger@roche.com.

Very truly yours,

Roche Diagnostics GmbH i.V. i.V.

Dr. Burger

A. Naser

22335 WO 050304 to EPA INFO Mergenthaler.doc